

BALAD

3602 - SET OF 3 LAMPS H.12 CM

DESIGN BY TRISTAN LOHNER

DOMESTIC | PROFESSIONAL | INTENSIVE



Polyethylene diffuser

Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 20 lm

Switch type: push button

Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%): 10 h

Battery use cycle: 500 cycles

Recharge time: 4h - Type of recharge: USB, cable (supplied) 1,5m

Bypass to prevent battery damage during wired use

0.25 A - 5 V - 0.3 W | IP44 (ingress protection) | IK 10 (impact resistance) | CE | FCC | UKCA

Powered by Smart & Green



0.15 kg

- 360282 ● Cactus
- 360214 ● Nutmeg
- 360273 ● Honey
- 360247 ● Anthracite

- 360221 ● Acapulco Blue
- 360220 ● Red Ochre
- 3602B9 ● Black Cherry
- 3602A5 ● Clay Grey

3612 - LAMP H.25 CM

DESIGN BY TRISTAN LOHNER

DOMESTIC | PROFESSIONAL | INTENSIVE



Polyethylene diffuser

Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 40 lm

Switch type: push button

Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 neutral white (4000°K) 50% brightness

Position 4 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%): 7 h

Battery use cycle: 300 cycles

Recharge time: 5h - Type of recharge: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

0.5 A - 5 V - 0.5 W | IP44 (ingress protection) | IK 10 (impact resistance) | CE | FCC | UKCA

Powered by Smart & Green



0.53 kg

- 361282 ● Cactus
- 361273 ● Honey
- 361247 ● Anthracite
- 361221 ● Acapulco Blue

- 361220 ● Red Ochre
- 3612B9 ● Black Cherry
- 3612A5 ● Clay Grey

BALAD

3622 - LAMP H.38 CM
 DESIGN BY TRISTAN LOHNER

DOMESTIC | PROFESSIONAL | INTENSIVE




Polyethylene diffuser
 Aluminium frame
 ABS base
Technology: integrated LED - Luminous flux: 150 lm
Switch type: push button
Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)
Lighting mood:
 Position 1 cool white (6000°K) 100% brightness
 Position 2 cool white (6000°K) 50% brightness
 Position 3 neutral white (4000°K) 100% brightness
 Position 4 neutral white (4000°K) 50% brightness
 Position 5 candle-style warm white (2300°K) flickering
Type of power supply: battery - Min. Battery life (100%) 9 h
Battery use cycle: 300 cycles
Recharge time: 7h - Type of recharge: USB, cable (supplied) 2m
 Bypass to prevent battery damage during wired use
 2 A - 5 V - 2.5 W | IP44 (ingress protection) | IK 10 (impact resistance) | CE | FCC | UKCA
Energy rating: E
 Powered by Smart & Green



1.21 kg

- | | | | | | |
|--------|--|---------------|--------|--|--------------|
| 362282 | | Cactus | 362220 | | Red Ochre |
| 362273 | | Honey | 3622B9 | | Black Cherry |
| 362247 | | Anthracite | 3622A5 | | Clay Grey |
| 362221 | | Acapulco Blue | | | |



BALAD

BALAD

3632 - SPIKE STAND

DESIGN BY TRISTAN LOHNER



Steel wire frame
Steel clip on the ball joint system, with protective rubber pads

Compatible with:
LAMP H.25 CM - BALAD
LAMP H.38 CM - BALAD

- | | | | | | |
|--------|--|---------------|--------|--|--------------|
| 363282 | | Cactus | 3632B9 | | Black Cherry |
| 363247 | | Anthracite | 3632A5 | | Clay Grey |
| 363221 | | Acapulco Blue | 3632C6 | | Honey |
| 363220 | | Red Ochre | | | |



3631 - UPRIGHT STAND

DESIGN BY TRISTAN LOHNER



Steel wire frame
Steel ballast
Steel clip with protective rubber pads


Compatible with:
LAMP H.25 CM - BALAD
LAMP H.38 CM - BALAD

- | | | | | | |
|--------|--|---------------|--------|--|--------------|
| 363182 | | Cactus | 3631B9 | | Black Cherry |
| 363147 | | Anthracite | 3631A5 | | Clay Grey |
| 363121 | | Acapulco Blue | 3631C6 | | Honey |
| 363120 | | Red Ochre | | | |



3630 - OFFSET STAND

DESIGN BY TRISTAN LOHNER



Steel wire frame
Steel ballast
Steel clip, with protective rubber pads

Compatible with:
LAMP H.38 CM - BALAD
LAMP H.25 CM - BALAD

- | | | | | | |
|--------|--|---------------|--------|--|--------------|
| 363082 | | Cactus | 3630B9 | | Black Cherry |
| 363047 | | Anthracite | 3630A5 | | Clay Grey |
| 363021 | | Acapulco Blue | 3630C6 | | Honey |
| 363020 | | Red Ochre | | | |



Recommendations for appropriate installations:

Choose Balad H.25 cm with:



Choose Balad H.38 cm with:





BALAD

LIGHTING

BALAD

365100 - SET OF 3 LAMPS BAMBOO H.12 CM

DESIGN BY TRISTAN LOHNER



Polyethylene diffuser
Bamboo frame
ABS base

Technology: integrated LED - Luminous flux: 20 lm

Switch type: push button

Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%): 10 h

Battery use cycle: 500 cycles

Recharge time: 4h - Type of recharge: USB, cable (supplied) 1,5m

Bypass to prevent battery damage during wired use

0.25 A - 5 V - 0.3 W - IP44 (ingress protection) | IK 10 (impact resistance) | CE | FCC | UKCA

Powered by Smart & Green



0.13 kg

365200 - LAMP BAMBOO H.25 CM

DESIGN BY TRISTAN LOHNER



Polyethylene diffuser
Bamboo frame
ABS base

Technology: integrated LED - Luminous flux: 40 lm

Switch type: push button

Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 neutral white (4000°K) 50% brightness

Position 4 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%): 7 h

Battery use cycle: 300 cycles

Recharge time: 5h - Type of recharge: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

0.5 A - 5 V - 0.5 W - IP44 (ingress protection) | IK 10 (impact resistance) | CE | FCC | UKCA

Powered by Smart & Green



0.47 kg

BALAD

365300 - LAMP BAMBOO H.38 CM
 DESIGN BY TRISTAN LOHNER



Polyethylene diffuser
 Bamboo frame
 ABS base
Technology: integrated LED - Luminous flux: 150 lm
Switch type: push button
Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)
Lighting mood:
 Position 1 cool white (6000°K) 100% brightness
 Position 2 cool white (6000°K) 50% brightness
 Position 3 neutral white (4000°K) 100% brightness
 Position 4 neutral white (4000°K) 50% brightness
 Position 5 candle-style warm white (2300°K) flickering
Type of power supply: battery - Min. Battery life (100%) 9 h
Battery use cycle: 300 cycles
Recharge time: 7h - Type of recharge: USB, cable (supplied) 2m
 Bypass to prevent battery damage during wired use
 2 A - 5 V - 2.5 W - IP44 (ingress protection) | IK 10 (impact resistance) | CE | FCC | UKCA
Energy rating: E
 Powered by Smart & Green



1.08 kg

